

MUNICH ACCESSORIES

MUNICH ACCESSORIES

MUNICH ACCESSORIES GmbH
Nördliche Münchner Straße 27a
82031 Grünwald
Germany

CONTACT / KONTAKT

Gerhard Krupp - Owner & Founder
mobile +49 (0) 174 8 88 00 01
fax +49 (0) 89/2 32 41 89-56
gk@munich-accessories.de

Nadine Rottkamp - Marketing
phone +49 (0) 892324189-53
fax +49 (0) 89/2 32 41 89-56
n.rottkamp@munich-accessories.de

www.munich-accessories.de





**New
Cordless Lighting**

Create

New Life



Ultra High Bright
LEDs



More than 10 hours
at 100% intensity



Brightness
Memory Function



Visual Comfort
Optical Diffuser



Waterproof IP65



Touch Button



Stepless Dimmable
5%-100%




Multiple
color temperatures



Customized your colours

All of our products are available in custom colours. Rich and vibrant colors for a different visual experience. Not only does it bring new life to a minimalist concept, but it also brings detailed decorative elements.

Weather & Atmospheric Resistant Finish

					
Light Grey	Ocean Blue	Pale Green	Grey Beige	Patina Green	Dark Grey
					
Ruby Red	Deep Orange	Matt Yellow	Cobolt Blue	Matt Green Grey	Corten
					
Terracotta	Matt Black	Matt Blue	Cadet Blue	Matt Sand	Matt White

new metallic finish

Applicable to the following products:

- | | | | | |
|----------|--------------|---------------|--------------|---------------|
| F1291-CC | F1280-CC | F1103-200E-CC | F1008-200-MC | F1003-360D-CC |
| F1292-CC | F1221-200-CC | F1103-360E-CC | F1008-300-MC | F1003-200D-CC |

F1280-CC

F1008-200-MC

F1292-CC

F1221-200-CC

F1291-CC

F1003-200D-CC

F1103-200E-CC

Index

Total 4 sections

Table Lamps

P. 04-118

With practicality always in mind, the various styles of table lamps ensure that you get the best style you like.

Lanterns/Solar Lamps

P. 122-132

Lanterns are combined with modernist architectural style and new energy solar together.

Floor Lamps

P. 136-144

Combine with new technology, the soft light shines through the clean lines to create a comfortable atmosphere as the night draws in.

Accessories

P. 148-152

Accessories include various charging shelves to provide convenient charging options for HeReCa and give customers more freedom to give the product different applications.



TABLE LAMPS

CORDLESS

IRIS MICRO NEW
Micro



F1005S-200A-CC
P.04

IRIS NEW



F1005-360A-CC
P.06

RICKY MICRO NEW
Micro



F1105S-200B-CC
P.08

RICKY NEW



F1105-360B-CC
P.10

FIONA MICRO NEW
Micro



F1840S-250-CC
P.12

FIONA NEW



F1841-360-CC
P.14

VENUS MICRO NEW
Micro



F1842S-250-CC
P.16

VENUS NEW



F1840-300-CC
P.18

POPPY MICRO NEW
Micro



F2010S-250P-CC
P.20

POPPY NEW



F2010-360P-CC
P.22

EVAN MICRO NEW
Micro



F2020S-250Q-CC
P.24

EVAN NEW



F2020-360Q-CC
P.26

LUMIALE NEW



F2050-125-CC
P.28

LUMIALE NEW



F2050-250-CC
P.28

MATTHEW NEW
Micro



F2090-200-CC
P.30

ISABELLA NEW
Micro



F2080-200-CC
P.32

TABLE LAMPS

CORDLESS

FLOWER MICRO
Micro



F1060S-250A-CC
P.34

FLOWER



F1061-300A-CC
P.36

JUPITER



F1851-300-CC
P.38

SATURN



F1861-300-CC
P.40

FOLDS MICRO
Micro



F1001S-200A-CC
P.42

FOLDS



F1001-360A-CC
P.44

BLOW MICRO
Micro



F1002S-200A-CC
P.46

BLOW



F1002-360A-CC
P.48

DREAM MICRO
Micro



F1003S-200D-CC
P.50

DREAM



F1003-200D-CC
P.52

DREAM



F1003-360D-CC
P.52

CONE



F1009-270-CC
P.54

BELL MICRO
Micro



F1008S-200D-CC
P.56

BELL
Magnetic Charging



F1008-200-MC
P.58

BELL
Magnetic Charging



F1008-300-MC
P.58

OLIVER



F1881-300-CC
P.60

TABLE LAMPS

CORDLESS

BASIC MICRO

Micro



F1100S-200B-CC
P.62

BASIC



F1100-300B-CC
P.64

BASIC



F1100-360B-CC
P.64

RETRO



F1830-250-CC
P.66

MAYA MICRO

Micro



F1103S-200E-CC
P.68

MAYA



F1103-200E-CC
P.70

MAYA



F1103-360E-CC
P.70

FLIP



F1020-270-CC
P.72

WAND



F1640-200-CC
P.74

WAND



F1640-360-CC
P.74

JOZO

PC shade



F1613-180-CC
P.76

JOZO

Glass shade



F1614-180-CC
P.76

SQUARE

Magnetic Charging



F1800-200-MC
P.78

ELF



F1220-200-CC
P.80

ELF



F1221-200-CC
P.80

CROLY



F1810-240-CC
P.82

TABLE LAMPS

CORDLESS

COOLER

Winecooler



F1760-CC
P.86

CORE



F1600L-250-CC
P.90

CORE

Winecooler



A0010



F1601L-250-CC
P.90

CORE

Bowl



A0012



F1603L-250-CC
P.90

CORE



F1600S-250-CC
P.92

CORE

Vase



A0009



F1601S-250-CC
P.92

GLOW

Vase



A0007



F1291-CC
P.94

GLOW

Candle



A0008



F1292-CC
P.94

SERIF



F1260-340-CC
P.98

VOGUE

Chrome colour matching



F1231-270-CC
P.100

VOGUE

Powder coating



F1232-270-CC
P.102

VOGUE

PC shade



F1233-270-CC
P.102

DORA



F1234-290-CC
P.104

DEMI



F1734-270-CC
P.106

DECO



F1641-280-CC
P.108

HOOK

USB Type C Charging



F1250-360
P.110

TABLE LAMPS

CORDLESS

NORDIC

Micro



F1930S-CC
P.112

BOWLING

Micro



F1940-CC
P.114

MARS



F1950-220-CC
P.116

OPHIR



RGB



F1280-CC
P.118

LANTERNS

CORDLESS

TERRACE

Magnetic Charging



F1621S-MC
P.122

TERRACE

Magnetic Charging

USB Type C Charging



F1621L-MC
P.122

JAR

Solar hybrid

USB Type C Charging



F9030-300
P.124

JAR

Solar hybrid

USB Type C Charging



F9030-450
P.124

TAKE ME

USB Type C Charging



F1030-300
P.126

TAKE ME

USB Type C Charging



F1030-500
P.126

BAY

USB Type C Charging



F1012-300B
P.128

BAY

USB Type C Charging



F1012-500B
P.128

SUNNY

Solar hybrid

USB Type C Charging



F9000-300B
P.130

SUNNY

Solar hybrid

USB Type C Charging

Wall

A0306



F9001-300B
P.130

SUNNY

Solar hybrid

USB Type C Charging



F9000-500B
P.130

SUNNY

Solar hybrid

USB Type C Charging

Wall

A0306



F9001-500B
P.130

CHARM



E1230-380-CC
P.132

FLOOR LAMPS

CORDLESS

APOLLO
RGB



F2000-1500A-CC
P.136

GLORIA FLOOR **NEW**



F1001-1200B-CC
P.140

DREAM FLOOR



F1003-1200-CC
P.142

ELF FLOOR
Magnetic
Charging



F1220-1200-MC
P.144

ACCESSORIES

CORDLESS

6 multiple contact charging shelf



A0201
P.148

6 multiple magnetic contact charging shelf



A0214
P.149

Micro 15 multiple contact charging shelf



A0217
P.150

Multiple Contact Charging Trolley



A0218
P.152

Different shapes and colors,
suitable for any environment.

Various table lamps
are guaranteed to find your favorite one.

TABLE LAMPS



TABLE LAMPS

Item No.: F1005S-200A-CC

IRIS MICRO



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI>80 / 2.3W / DC3.7V / 161lm
Charge time:≤4hours/Working time≥9.5hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 15 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
3000mAh



Working Time
9.5-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0215

Description: Table lamp round shape single charger (contact charging base).





TABLE LAMPS

Item No.: F1005-360A-CC

IRIS



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 3.7W / DC3.7V / 259lm
Charge time:≤7hours/Working time≥7.5hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh



Working Time
7.5-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0203

Description: Table lamp square shape single
charger (contact charging base).





TABLE LAMPS

Item No.: F1105S-200B-CC

RICKY MICRO



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI>80 / 2.3W / DC3.7V / 166lm
Charge time:≤4hours/Working time≥7.5hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 15 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
3000mAh



Working Time
7.5-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0216

Description: Table lamp round shape single
charger (contact charging base).





TABLE LAMPS

Item No.: F1105-360B-CC

RICKY



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI>80 / 3.7W / DC3.7V / 319lm
Charge time:≤7hours/Working time≥7.5hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.

- | | | | |
|--|--|---|---|
| 
Touch Button | 
Stepless Dimmable
5%-100% | 
2200K&2700K
color temperatures | 
Brightness
Memory Function |
| 
Li-ion battery
4400mAh | 
Working Time
7.5-200 hours | 
Safety Class III | 
Waterproof IP65 |

CONTACT CHARGING



Item No.: A0204
Description: Table lamp square shape single
charger (contact charging base).





FIONA MICRO



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 2.3W / DC3.7V / 166lm
Charge time:≤4hours/Working time≥9.5hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 15 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
3000mAh



Working Time
9.5-200 hours



Safety Class III



Waterproof IP65



RGB

CONTACT CHARGING



Item No.: A0208

Description: Table lamp round shape single
charger (contact charging base).





TABLE LAMPS

Item No.: F1841-360-CC

FIONA



121



307

TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 2.8W / DC3.7V / 227lm
Charge time:≤5.5hours/Working time≥10hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K&3000K
color temperatures



Brightness
Memory Function



Li-ion battery
3000mAh



Working Time
10-200 hours



Safety Class III



Waterproof IP65



RGB

CONTACT CHARGING



Item No.: A0208

Description: Table lamp round shape single
charger (contact charging base).





TABLE LAMPS

Item No.: F1842S-250-CC

VENUS MICRO



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 2.5W / DC3.7V / 171lm
Charge time:≤2.5hours/Working time≥7hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 15 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
1500mAh



Working Time
7-200 hours



Safety Class III



Waterproof IP65



RGB

CONTACT CHARGING



Item No.: A0208

Description: Table lamp round shape single
charger (contact charging base).





TABLE LAMPS

Item No.: F1840-300-CC

VENUS



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 2.5W / DC3.7V / 159lm
Charge time:≤5hours/Working time≥8.5hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2700K&3000K&4000K
color temperatures



Brightness
Memory Function



Li-ion battery
3000mAh



Working Time
8.5-200 hours



Safety Class III



Waterproof IP65



RGB

CONTACT CHARGING



Item No.: A0208

Description: Table lamp round shape single
charger (contact charging base).





TABLE LAMPS

Item No.: F2010S-250P-CC

POPPY MICRO



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI>80 / 2.6W / DC3.7V / 186lm
Charge time:≤4hours/Working time≥9hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 15 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
3000mAh



Working Time
9-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0215
Description: Table lamp round shape single
charger (contact charging base).





TABLE LAMPS

Item No.: F2010-360P-CC

POPPY



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI>80 / 2.7W / DC3.7V / 195lm
Charge time:≤6hours/Working time≥13hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh



Working Time
13-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0203

Description: Table lamp round shape single
charger (contact charging base).





EVAN MICRO



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI>80 / 2.6W / DC3.7V / 192lm
Charge time:≤5hours/Working time≥9.5hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 15 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
3000mAh



Working Time
9.5-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0216

Description: Table lamp round shape single
charger (contact charging base).





TABLE LAMPS

Item No.: F2020-360Q-CC

EVAN



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI>80 / 2.7W / DC3.7V / 199lm
Charge time:≤5hours/Working time≥9.5hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh



Working Time
9.5-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0204

Description: Table lamp round shape single
charger (contact charging base).






TABLE LAMPS

Item No.: F2050-125-CC
F2050-250-CC

LUMIALE



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI>80 / 2.4W / DC3.7V / 180lm
Charge time:≤4hours/Working time≥8.5hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
3000mAh



Working Time
8.5-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0219

Description: Table lamp round shape single
charger (contact charging base).





MATTHEW

| 60 |



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI>80 / 2.3W / DC3.7V / 246lm
Charge time:≤4hours/Working time≥9hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 15 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
3000mAh



Working Time
9-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0220

Description: Table lamp round shape single
charger (contact charging base).






TABLE LAMPS

Item No.:F2080-200-CC

ISABELLA



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI>80 / 2.4W / DC3.7V / 250lm
Charge time:≤4hours/Working time≥9hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 15 table lamps together.

 Touch Button	 Stepless Dimmable 5%-100%	 2200K&2700K color temperatures	 Brightness Memory Function
 Li-ion battery 3000mAh	 Working Time 9-200 hours	 Safety Class III	 Waterproof IP65

CONTACT CHARGING



Item No.: A0219
Description: Table lamp round shape single
charger (contact charging base).





FLOWER MICRO



TECHNICAL INFORMATION

LEDS: OSRAM SMD2835 / CRI≥80 / 2W / DC3.7V / 150lm
Charge time:≤4hours/Working time≥9hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 15 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
3000mAh



Working Time
9-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0220

Description: Table lamp round shape single
charger (contact charging base).





TABLE LAMPS

Item No.:F1061-300A-CC

FLOWER



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI>80 / 2W / DC3.7V / 150lm
Charge time:≤4hours/Working time≥9hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 15 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
3000mAh



Working Time
9-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0219

Description: Table lamp round shape single
charger (contact charging base).






TABLE LAMPS

Item No.: F1851-300-CC

JUPITER



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 2.5W / DC3.7V / 181lm
Charge time:≤6.5hours/Working time≥9hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh



Working Time
9-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0222

Description: Table lamp round shape single
charger (contact charging base).





TABLE LAMPS

Item No.: F1861-300-CC

SATURN



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 2.5W / DC3.7V / 179lm
Charge time:≤6.5hours/Working time≥9hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh



Working Time
9-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0221

Description: Table lamp round shape single
charger (contact charging base).





FOLDS MICRO



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI>80 / 2.2W / DC3.7V / 160lm
Charge time:≤4hours/Working time≥9.5hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 15 table lamps together.

 Touch Button	 Stepless Dimmable 5%-100%	 2200K&2700K color temperatures	 Brightness Memory Function
 Li-ion battery 3000mAh	 Working Time 9.5-200 hours	 Safety Class III	 Waterproof IP65

CONTACT CHARGING



Item No.: A0215
Description: Table lamp round shape single charger (contact charging base).






TABLE LAMPS

Item No.: F1001-360A-CC

FOLDS



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI>80 / 2.2W / DC3.7V / 150lm
Charge time:≤6hours/Working time≥8hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 15 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh



Working Time
8-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0203

Description: Table lamp round shape single
charger (contact charging base).



Smaller,
Lighter



BLOW MICRO



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 2.2W / DC3.7V / 160lm
Charge time:≤4.5hours/Working time≥9.5hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 15 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
3000mAh



Working Time
9.5-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0215

Description: Table lamp round shape single
charger (contact charging base).





TABLE LAMPS

Item No.: F1002-360A-CC

BLOW



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI>80 / 2.2W / DC3.7V / 150lm
Charge time:≤6hours/Working time≥8hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh



Working Time
8-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0203

Description: Table lamp round shape single
charger (contact charging base).





TABLE LAMPS

Item No.: F1003S-200D-CC

DREAM MICRO



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 2.2W / DC3.7V / 160lm
Charge time:≤4.5hours/Working time≥9.5hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 15 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
3000mAh



Working Time
9.5-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0215

Description: Table lamp round shape single
charger (contact charging base).





TABLE LAMPS

Item No.: F1003-200D-CC
F1003-360D-CC

DREAM



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 2.2W / DC3.7V / 150lm
Charge time:≤6hours/Working time≥8hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh



Working Time
8-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0203

Description: Table lamp round shape single
charger (contact charging base).





TABLE LAMPS

Item No.: F1009-270-CC

CONE



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 2.5W / DC3.7V / 180lm
Charge time:≤6.5hours/Working time≥11hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.



Press&Rotary
Button



Stepless Dimmable
5%-100%



2200K-3000K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh



Working Time
11-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0203

Description: Table lamp round shape single
charger (contact charging base).





TABLE LAMPS

Item No.: F1008S-200D-CC

BELL MICRO



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI>80 / 2.2W / DC3.7V / 160lm
Charge time:≤4.5hours/Working time≥9.5hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 15 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
3000mAh



Working Time
9.5-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0215

Description: Table lamp round shape single
charger (contact charging base).





TABLE LAMPS

Item No.: F1008-200-MC
F1008-300-MC

BELL



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 3.5W / DC3.7V / 205lm
Charge time:≤6.5hours/Working time≥11hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.

 Press&Rotary Button	 Stepless Dimmable 5%-100%	 2200K-3000K color temperatures	 Brightness Memory Function
 Li-ion battery 4400mAh	 Working Time 11-200 hours	 Safety Class III	 Waterproof IP65

MAGNETIC CHARGING



Item No.: A0212
Magnetic contact charging system: 1.5m USB
cable included.





TABLE LAMPS

Item No.: F1881-300-CC

OLIVER



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI>80 / 3.1W / DC3.7V / 220lm
Charge time:≤5.5hours/Working time≥8hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.



Press&Rotary
Button



Stepless Dimmable
5%-100%



2200K-3000K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh



Working Time
8-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0203

Description: Table lamp round shape single
charger (contact charging base).





TABLE LAMPS

Item No.: F1100S-200B-CC

BASIC MICRO



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 2.2W / DC3.7V / 160lm
Charge time:≤4.5hours/Working time≥9.5hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 15 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
3000mAh



Working Time
9.5-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0216

Description: Table lamp square shape single
charger (contact charging base).





TABLE LAMPS

Item No.: F1100-300B-CC
F1100-360B-CC

BASIC



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI>80 / 2.2W / DC3.7V / 150lm
Charge time:≤6hours/Working time≥8hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh



Working Time
8-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0204

Description: Table lamp square shape single
charger (contact charging base).





TABLE LAMPS

Item No.: F1830-250-CC

RETRO



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 2.5W / DC3.7V / 248lm
Charge time:≤6.4hours/Working time≥8.6hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.

 Press&Rotary Button	 Stepless Dimmable 5%-100%	 2200K-3000K color temperatures	 Brightness Memory Function
 Li-ion battery 4400mAh	 Working Time 8.6-200 hours	 Safety Class III	 Waterproof IP65

CONTACT CHARGING



Item No.: A0208
Description: Table lamp round shape single
charger (contact charging base).





MAYA MICRO



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI>80 / 2.2W / DC3.7V / 160lm
Charge time:≤4.5hours/Working time≥9.5hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 15 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
3000mAh



Working Time
9.5-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0216

Description: Table lamp square shape single
charger (contact charging base).





TABLE LAMPS

Item No.: F1103-200E-CC
F1103-360E-CC

MAYA



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI>80 / 2.2W / DC3.7V / 150lm
Charge time:≤6hours/Working time>8hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh



Working Time
8-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0204

Description: Table lamp square shape single
charger (contact charging base).






TABLE LAMPS

Item No.: F1020-270-CC

FLIP



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI>80 / 1.8W / DC3.7V / 100lm
Charge time:≤7hours/Working time≥10hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 15 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh



Working Time
10-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0208

Description: Table lamp round shape single
charger (contact charging base).





TABLE LAMPS

Item No.: F1640-200-CC
F1640-360-CC


WAND



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI>80 / 2.6W / DC3.7V / 166lm
Charge time:≤6.5hours/Working time≥11hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.

 Press Button	 Stepless Dimmable 5%-100%	 3000K color temperatures	 Brightness Memory Function
 Li-ion battery 4400mAh	 Working Time 11-200 hours	 Safety Class III	 Waterproof IP65



CONTACT CHARGING



Item No.: A0208
Description: Table lamp round shape single
charger (contact charging base).





TABLE LAMPS

Item No.: F1613-180-CC
F1614-180-CC

JOZO



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 2.5W / DC3.7V / 151lm
Charge time:≤6.2hours/Working time≥10.5hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.



Press Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh



Working Time
10.5-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0208

Description: Table lamp round shape single
charger (contact charging base).






TABLE LAMPS

Item No.: F1800-200-MC

SQUARE



79



200



Magnetic Charging

TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI>80 / 2.5W / DC3.7V / 179lm
Charge time:≤6.4hours/Working time≥11hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh



Working Time
11-200 hours



Safety Class III



Waterproof IP65

MAGNETIC CHARGING



Item No.: A0212

Magnetic contact charging system: 1.5m USB cable included.





TABLE LAMPS

Item No.: F1220-200-CC
F1221-200-CC

ELF



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI>80 / 2.5W / DC3.7V / 202lm
Charge time:≤6.4hours/Working time≥9hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh



Working Time
9-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0206

Description: Table lamp round shape single
charger (contact charging base).





TABLE LAMPS

Item No.: F1810-240-CC

CROLY



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 2.5W / DC3.7V / 200lm
Charge time:≤6.5hours/Working time≥9hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh



Working Time
9-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0208

Description: Table lamp round shape single charger (contact charging base).



More than Lamps

Functional series is an innovative portable rechargeable lamp. The lamp body is made of aluminum die-casting, forming a simple and atmospheric geometric shape. Its mission is not only lighting, but also highly decorative and practical.

GLOW



F1291-CC
P.94


VASE



F1601S-250-CC
P.92

CORE

New Winecooler



Ice box: for cooling wine

COOLER



F1760-CC
P.86

CORE



bowl

F1603L-250-CC
P.90

CORE



Winecooler



F1601L-250-CC
P.90



TABLE LAMPS

Item No.: F1760-CC

COOLER



Winecooler

TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 3W / DC3.7V / 256lm
Charge time:≤7.5hours/Working time≥10.5hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A



Press Button



Stepless Dimmable
5%-100%



2700K&3000K&4000K
color temperatures



Brightness
Memory Function



Li-ion battery
6600mAh



Working Time
10.5-200 hours



Safety Class III



Waterproof IP65



RGB

CONTACT CHARGING



Item No.: A0206

Description: Table lamp round shape single
charger (contact charging base).






TABLE LAMPS

Item No.: F1600L-250-CC
F1601L-250-CC
F1603L-250-CC

CORE



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 3.3W / DC3.7V / 300lm
Charge time:≤6.5hours/Working time≥10hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A

Touch Button

Stepless Dimmable
5%-100%

2200K&2700K
color temperatures

Brightness
Memory Function

Li-ion battery
4400mAh

Working Time
10-200 hours

Safety Class III

Waterproof IP65

CONTACT CHARGING



Item No.: A0208
Description: Table lamp round shape single
charger (contact charging base).





TABLE LAMPS

Item No.: F1600S-250-CC
F1601S-250-CC

CORE



F1600S-250-CC



F1601S-250-CC
Vase

TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI>80 / 3.3W / DC3.7V / 270lm
Charge time:≤6hours/Working time≥9hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh



Working Time
9-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0208

Description: Table lamp round shape single
charger (contact charging base).





TABLE LAMPS

Item No.: F1290-CC
F1291-CC
F1292-CC

GLOW



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 2W / DC3.7V / 150lm
Charge time:≤6hours/Working time≥12hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A



CONTACT CHARGING



Item No.: A0208
Description: Table lamp round shape single charger (contact charging base).





TABLE LAMPS

Item No.: F1260-340-CC

SERIF



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI>80 / 2.5W / DC3.7V / 208lm
Charge time:≤6hours/Working time≥10hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh



Working Time
10-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0208

Description: Table lamp round shape single
charger (contact charging base).





TABLE LAMPS

Item No.: F1231-270-CC

VOGUE



Chrome colour matching

TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI>80 / 2.5W / DC3.7V / 200lm
Charge time:≤6hours/Working time≥9hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.



Press Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh



Working Time
9-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0208

Description: Table lamp round shape single
charger (contact charging base).





TABLE LAMPS

Item No.: F1232-270-CC
F1233-270-CC



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI>80 / 2.5W / DC3.7V / 200lm
Charge time:≤6hours/Working time≥9hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.

- | | | | |
|--|--|---|---|
| 
Press Button | 
Stepless Dimmable
5%-100% | 
2200K&2700K
color temperatures | 
Brightness
Memory Function |
| 
Li-ion battery
4400mAh | 
Working Time
9-200 hours | 
Safety Class III | 
Waterproof IP65 |

CONTACT CHARGING



Item No.: A0208
Description: Table lamp round shape single charger (contact charging base).





TABLE LAMPS

Item No.: F1234-290-CC

DORA



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 2.5W / DC3.7V / 200lm
Charge time:≤6hours/Working time≥9hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.



Press Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh



Working Time
9-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0208

Description: Table lamp round shape single charger (contact charging base).





TABLE LAMPS

Item No.: F1734-270-CC

DEMI



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI>80 / 2W / DC3.7V / 120lm
Charge time:≤4.5hours/Working time≥15hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.



Press Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
3000mAh



Working Time
15-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0208

Description: Table lamp round shape single charger (contact charging base).





TABLE LAMPS

Item No.: F1641-280-CC

DECO



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI>80 / 2W / DC3.7V / 122lm
Charge time:≤6.5hours/Working time≥9hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.



Press Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh



Working Time
9-200 hours



Safety Class III



Waterproof IP65


CONTACT CHARGING



Item No.: A0208

Description: Table lamp round shape single charger (contact charging base).





HOOK



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 2.5W / DC3.7V / 210lm
Charge time:≤6hours/Working time≥11hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh



Working Time
11-200 hours



Safety Class III



Waterproof IP65






TABLE LAMPS

Item No.: F1930S-CC

NORDIC



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 3.2W / DC3.7V / 260lm
Charge time:≤4.5hours/Working time≥7hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.



Press&Rotary
Button



Stepless Dimmable
5%-100%



2200K-3000K
color temperatures



Brightness
Memory Function



Li-ion battery
3000mAh



Working Time
7-200 hours




Safety Class III



Waterproof IP65

FINISH AVAILABLE



CONTACT CHARGING



Item No.: A0208

Description: Table lamp round shape single
charger (contact charging base).





TABLE LAMPS

Item No.: F1940-CC

BOWLING



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI>80 / 2.5W / DC3.7V / 156lm
Charge time:≤5hours/Working time≥9hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
3000mAh



Working Time
9-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0208

Description: Table lamp round shape single
charger (contact charging base).





MARS



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 2.5W / DC3.7V / 167lm
Charge time:≤5hours/Working time≥10hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
3000mAh



Working Time
10-200 hours



Safety Class III



Waterproof IP65

MAGNETIC CHARGING



Item No.: A0203

Description: Table lamp square shape single
charger (contact charging base).





TABLE LAMPS

Item No.: F1280-CC

OPHIR



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 2.5W / DC3.7V / 200lm
Charge time:≤7hours/Working time≥9hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Micro multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.



Press Button



Stepless Dimmable
5%-100%



2700K&3000K&4000K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh



Working Time
9-200 hours



Safety Class III



Waterproof IP65



RGB

CONTACT CHARGING



Item No.: A0208

Description: Table lamp round shape single
charger (contact charging base).



The soft light shines through the clean lines,
creating a cozy atmosphere at nightfall.

Lanterns are combined with modernist architectural style
and new energy solar together.

LANTERNS



LANTERNS

Item No.: F1621S-MC
F1621L-MC

TERRACE



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 3W / DC3.7V / 212lm
Charge time:≤6.5hours/Working time≥9hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Weight:660g/1260g



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh



Working Time
9-200 hours



Safety Class III



Waterproof IP65

MAGNETIC CHARGING



Item No.: A0204

Magnetic contact charging system: 1.5m
USB cable included.





LANTERNS

Item No.: F9030-300
F9030-450

JAR



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 2.5W / DC3.7V / 210lm
Charge time:≤5.5hours/Working time≥11hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Weight:1590g/1690g



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh



Working Time
11-200 hours




Safety Class III



Waterproof IP65



USB Type C
Charging



Solar hybrid






LANTERNS

Item No.: F1030-300
F1030-500

TAKE ME



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 2.5W / DC3.7V / 198lm
Charge time:≤5.5hours/Working time≥8hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Weight:800g/1000g



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh



Working Time
8-200 hours



Safety Class III



Waterproof IP65



USB Type C
Charging






LANTERNS

Item No.: F1012-300B
F1012-500B

BAY



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 2.2W / DC3.7V / 220lm
Charge time:≤6.5hours/Working time≥11hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh



Working Time
11-200 hours



Safety Class III



Waterproof IP65



USB Type C
Charging





LANTERNS

Item No.: F9000-300B|F9001-300B
F9000-500B|F9001-500B


SUNNY



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 2.2W / DC3.7V / 180lm
USB Charge time:≤6.5hours/Working time≥11hours(100% light intensity)
Solar Charging time:<20 hours
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Weight:1590g/1690g

- | | | | |
|--|---|--|--|
| 
Press Button | 
Stepless Dimmable
5%-100% | 
2200K&2700K
color temperatures | 
Brightness
Memory Function |
| 
Li-ion battery
4400mAh | 
Working Time
11-200 hours | 
Safety Class III | 
Waterproof IP65 |





LANTERNS

Item No.: E1230-380-CC

CHARM



TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 2.5W / DC3.7V /519lm
Charge time:≤7hours/Working time≥11hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Weight:1860g



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh



Working Time
11-200 hours



Safety Class III



Waterproof IP65

CONTACT CHARGING



Item No.: A0205

Description: Round shape single charger
(contact charging base).



Floor lamps combine intelligent innovation
with the highest standards of design.

Inspired by the feeling of evening breeze,
think about human sustainability,
then combine with modernist architecture style and new technology.

FLOOR LAMPS



FLOOR LAMPS

Item No.: F2000-1500A-CC

APOLLO

TECHNICAL INFORMATION


LEDs: OSRAM SMD2835 / CRI≥80 / 10W / DC3.7V / 810lm
USB Charge time:≤7hours/Working time≥11hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A
Weight:9400g



Red Orange Yellow Green Blue Indigo Violet

Press Button Stepless Dimmable 5%-100% 2700K&3000K&400K color temperatures Brightness Memory Function

Li-ion battery 13200mAh Working Time 11-200 hours Safety Class III Waterproof IP65




CONTACT CHARGING



Item No.: A0207
Description: Floor lamp round shape single charger (contact charging base).



Item No.: A0209
Description: USB Adapter, CLASS II, Input AC100-240V, Output DC5V 3A.





Three Detachable Lamp Poles

The pole consists of three detachable poles which are not only easy to pack and transport, but also allow you to choose the height of the light to suit your needs.



Weather & Atmospheric
Resistant Finish



Waterproof IP65

Double Switch & Battery Indicator

ON/OFF & dimmer switch, CCT & RGB switch.
Memory of brightness, colour temperature & RGB.

The battery indicator will tell you when you need to
charge, so that it doesn't affect your experience.



ON/OFF &
Dimmer Switch



Battery Indicator



CCT &
RGB Switch

Simple Appearance

The appearance keeps simple geometry to bring
clean and harmonious feeling. The design gives a
reliable in & outdoor lighting tool.



GLORIA FLOOR

TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI>80 / 2.2W / DC3.7V / 810lm
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh




Safety Class III



Waterproof IP65



CONTACT CHARGING



Item No.: A0207

Description: Floor lamp round shape single charger (contact charging base).



DREAM FLOOR

TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 2.2W / DC3.7V / 258lm
USB Charge time:≤6hours/Working time≥8hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh



Working Time
8-200 hours



Safety Class III



Waterproof IP65



CONTACT CHARGING



Item No.: A0207

Description: Floor lamp round shape single charger (contact charging base).



FLOOR LAMPS

Item No.: F1220-1200-MC

ELF FLOOR

TECHNICAL INFORMATION

LEDs: OSRAM SMD2835 / CRI≥80 / 2.5W / DC3.7V / 170lm
USB Charge time:≤8hours/Working time≥10hours(100% light intensity)
Adapter(Optional): CLASSII / Input AC100-240V / Output DC5V1A



Touch Button



Stepless Dimmable
5%-100%



2200K&2700K
color temperatures



Brightness
Memory Function



Li-ion battery
4400mAh



Working Time
10-200 hours



Safety Class III



Waterproof IP65



MAGNETIC CHARGING



Item No.: A02012
Magnetic contact charging system: 1.5m USB
cable included.

 Magnetic
Charging



Accessories include various charging shelves to provide convenient charging options for HeReCa and give customers more freedom to give the product different applications.

ACCESSORIES



6 Multiple Contact Charging Shelf



Item No.: A0201

Recharging and storage multi-contact charging shelf. Stackable up to 3 levels. One charger shelf charges 6 table lamps together.



6 Multiple Magnetic Contact Charging Shelf



Micro 15 Multiple Contact Charging Shelf



Item No.: A0214

Multi magnetic contact charging shelf. Stackable up to 3 levels. One charger shelf charges 6 table lamps together.



Item No.: A0217

Micro multi contact charging shelf. Stackable up to 3 levels. One charger shelf charges 15 table lamps together.



Ideal for
HoReCa




Multiple Contact Charging Trolley



Item No.: A0218

Trolley which can carry contact charging shelf, magnetic charging shelf. One trolley carries 6 charging shelves.



MUNICH ACCESSORIES PREMIUM

Verified capacities

Service

-  Minor customization
-  Design-based customization
-  Sample-based customization
-  Full customization
-  Centralized procurement available

Certifications

-   CE certification
-   CB certification
-   EMC certification
-   UL certification
-   LVD certification

Quality control

-  QA/QC inspectors
-  Testing instruments
-  On-site material inspection
-  Warranty available